
TG STYLE PRO SERIES CONTROL HANDLE PARTS BREAKDOWN CHART



* These tip assemblies have had their compression nuts "Loctited" at the factory during the assembly process. We recommend placing a few drops of Loctite® 680 Retaining Compound on the threads of the compression nut when replacing these tip assemblies. This will assure that the compression nuts do not come loose during normal use. Do not, under any circumstances, place Loctite® on the threads that are used to fasten the tip assembly to the handle.

410-252-9300



11212A McCormick Drive Hunt Valley, MD 21031

TIM-761-PART




1251 North Pratt Street Anaheim, CA 92801

> Date: Jan 2021 Version: 1.01

AMERICANLUBE.COM

STANDARD PRO SERIES CONTROL HANDLE PARTS BREAKDOWN CHART



* These tip assemblies have had their compression nuts "Loctited" at the factory during the assembly process. We recommend placing a few drops of Loctite® 680 Retaining Compound on the threads of the compression nut when replacing these tip assemblies. This will assure that the compression nuts do not come loose during normal use. Do not, under any circumstances, place Loctite® on the threads that are used to fasten the tip assembly to the handle.



11212A McCormick Drive Hunt Valley, MD 21031

TIM-761-PART



1251 North Pratt Street Anaheim, CA 92801

> Date: Jan 2021 Version: 1.01

AMERICANLUBE.COM

410-252-9300